



RECEIVED
CENTRAL FAX CENTER
JUN 23 2005

Legal Department
Hazelwood, MO

Facsimile Communication

To: Examiner Paul A. Zucker
Company: US Patent & Trademark Office
Fax Number: (571)273-8300
Date: 6/23/2005
Serial No.: 10/089,036

Jerad G. Seurer
Attorney - Patents & Trademarks

Tyco / Healthcare / Mallinckrodt
675 McDonnell Boulevard
PO Box 5840
St. Louis, Missouri 63134

Telephone 314-654-3814
Facsimile 314-654-3156
jerad.seurer@tycohealthcare.com

Number of Pages (including cover sheet): 2

- ☐ For your information
- ☐ Please respond
- ☐ Urgent
- ☒ Confidential

Comments:

The following is being submitted in response to the Office Action mailed 03/30/2005 in the above-referenced case. Please feel free to contact me at any time with questions, comments &/or concerns.

RECEIVED
CENTRAL FAX CENTER
JUN 23 2005

PATENT APPLICATION

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In Re the Application of:

ALBERTO ET AL.

Serial No.: 10/089,036

Filed: 03/25/2002

Atty. File No.: 1373 WO/US

Conf. No.: 9483

Title: Carbon Monoxide Source for the
Preparation of Transition Metal
Carbonyl Complexes

) Group Art Unit: 1621

) Examiner: Paul A. Zucker

CERTIFICATE OF TRANSMISSION

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS
BEING FACSIMILE TRANSMITTED TO THE UNITED
STATES PATENT AND TRADEMARK OFFICE, FAX NO.
(571) 273-8300 ON JUNE 23, 2005.

Barbara A. Krich
BARBARA A. KRISCH

RESPONSE TO OFFICE ACTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

VIA FACSIMILE
TO: 571-273-8300

Dear Sir:

This Response is being submitted in reply to the Office Action mailed 03/30/2005 in relation to the above-referenced patent application. While no fee is believed to be due for entry of this Response, the Office is authorized to charge Deposit Account No. 13-1160 for any fee deemed necessary for entry.

A summary of this paper is as follows. Claim 42 is being added, and no claims are being cancelled. Claims 10, 16 and 34 are being amended. Accordingly, Claims 10-12, 16-19 and 25-42 are pending in the present application.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks begin on page 8 of this paper.